



Supplemental Reading List: Cannabis Basics

Abrahamov A, Abrahamov A, and Mechoulam R. (1995). An efficient new cannabinoid antiemetic in pediatric oncology. *Life Sci.* 1995;56(23-24):2097-102. doi: 10.1016/0024-3205(95)00194-b. <https://pubmed.ncbi.nlm.nih.gov/7776837/>

Avraham Y, Ben-Shushan D, Breuer A, Zolotarev O, Okon A, Fink N, Katz V, Berry EM. (2004). Very low doses of delta 8-THC increase food consumption and alter neurotransmitter levels following weight loss. *Pharmacol Biochem Behav.* 2004 Apr;77(4):675-84. doi: 10.1016/j.pbb.2004.01.015. <https://pubmed.ncbi.nlm.nih.gov/15099912/>

Ben-Shabat S, Fride E, Sheskin T, Tamiri T, Rhee MH, Vogel Z, Bisogno T, De Petrocellis L, Di Marzo V, Mechoulam R. (1998). An entourage effect: inactive endogenous fatty acid glycerol esters enhance 2-arachidonoyl-glycerol cannabinoid activity. *Eur J Pharmacol.* 1998 Jul 17;353(1):23-31. <https://pubmed.ncbi.nlm.nih.gov/9721036/>

de Meijer, E. P. M. and Hammond, K.M. (2005). The inheritance of chemical phenotype in Cannabis sativa L. (II): Cannabigerol predominant plants. *Euphytica* (2005) 145: 189–198 DOI: 10.1007/s10681-005-1164-8. <https://link.springer.com/article/10.1007/s10681-005-1164-8>

Gertsch J, Leonti M, Raduner S, Racz I, Chen JZ, Xie XQ, Altmann KH, Karsak M, Zimmer A. (2008). Beta-caryophyllene is a dietary cannabinoid. *Proc Natl Acad Sci U S A.* 2008 Jul 1;105(26):9099-104. <https://pubmed.ncbi.nlm.nih.gov/18574142/>

Huestis, Marilyn A. (2009). Human cannabinoid pharmacokinetics. *Chem Biodivers.* 2007 Aug; 4(8): 1770–1804. doi: 10.1002/cbdv.200790152. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2689518/>

Morales P, Hurst DP, Reggio PH. (2017). Molecular targets of the phytocannabinoids-A complex picture. *Prog Chem Org Nat Prod.* 2017; 103: 103–131. <https://pubmed.ncbi.nlm.nih.gov/28120232/>

Munson AE, Harris LS, Friedman MA, Dewey WL, and Carchman RA. (1975). Antineoplastic activity of cannabinoids. *Natl Cancer Inst.* 1975 Sep;55(3):597-602. doi: 10.1093/jnci/55.3.597. <https://pubmed.ncbi.nlm.nih.gov/1159836/>



Supplemental Reading List: Cannabis Basics

Rogerio AP, Andrade EL, Leite DFP, Figueiredo CP, Calixto JB. (2009). Preventive and therapeutic anti-inflammatory properties of the sesquiterpene α -humulene in experimental airways allergic inflammation. *Br J Pharmacol.* 2009 Oct; 158(4): 1074–1087. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2785529/>

Russo, EB. (2011). Taming THC: Potential cannabis synergy and phytocannabinoid-terpenoid entourage effects. *Br J Pharmacol.* 2011 Aug; 163(7): 1344–1364. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3165946/>

Sultan SR, Millar SA, O'Sullivan SE, and England TH. (2018) A Systematic Review and Meta-Analysis of the In Vivo Haemodynamic Effects of Δ^8 -Tetrahydrocannabinol. *Pharmaceuticals (Basel)*. 2018 Jan 31;11(1):13. doi: 10.3390/ph11010013. <https://pubmed.ncbi.nlm.nih.gov/29385080/>

Thapa D, Cairns EA, Szczesniak AM, Toguri JT, Caldwell MD, and Kelly MEM. (2018). The Cannabinoids Δ^8 THC, CBD, and HU-308 Act via Distinct Receptors to Reduce Corneal Pain and Inflammation. *Cannabis Cannabinoid Res.* 2018; 3(1): 11–20. Published online 2018 Feb 1. doi: 10.1089/can.2017.0041 PMCID: PMC5812319 PMID: 29450258. <https://pubmed.ncbi.nlm.nih.gov/29450258/>

Vidrio H, Sánchez-Salvatori MA, Medina M. (1996). Cardiovascular effects of (-)-11-OH-delta 8-tetrahydrocannabinol-dimethylheptyl in rats. *Cardiovasc Pharmacol.* 1996 Aug;28(2):332-6. doi: 10.1097/00005344-199608000-00022. <https://pubmed.ncbi.nlm.nih.gov/8856492/>

